



ARDON®
WORKWEAR
& OUTDOOR

BLADE

HANDLING IN DRY ENVIRONMENT



TECHNICAL DATA



EN 388: 2016



ARDON®
WORKWEAR
& OUTDOOR

BLADE

HANDLING IN DRY ENVIRONMENT

CODE

A8021

MATERIAL

Lining 13G polyester (red)
Coating latex (grey)
Thickness 1,3 mm (in palm)

SIZE(S):

7 / S - 11 / 2XL

UNIT

pair

PACKING


240 pairs
Units in carton 12 pairs
Units in polybag sizes 8 / M – 10 / XL also with sales label (/SPE)
Retail packaging sizes 9 / L, 10 / XL packing of 12 pairs (AR8021 - retail pack 12)

DIMENSIONS

	5	6	7	8	9	10	11	12
Carton H x W x D (cm)	-	-	48x25x46	48x25x46	48x25x46	48x25x46	48x25x46	-
Carton (cbm)	-	-	0,0552	0,0552	0,0552	0,0552	0,0552	-

WEIGHT

	5	6	7	8	9	10	11	12
Carton (kg)	-	-	11,0	12,0	12,8	13,7	13,9	-
Unit (g)	-	-	45,0	50,0	53,0	55,0	55,5	-



Size chart (cm)

	5	6	7	8	9	10	11	12
Total length (A)	-	-	23,0	24,0	25,0	26,0	27,0	-
Cuff length (B)	-	-	7,00	7,00	7,50	8,00	8,50	-
Cuff width (C)	-	-	7,00	7,20	7,55	8,00	8,50	-
Palm width (D)	-	-	9,50	10,0	10,5	10,7	10,8	-

Tolerance (A) $\pm 0,50$ (cm)

Tolerance (B) $\pm 0,30$ (cm)

Tolerance (C) $\pm 0,30$ (cm)

Tolerance (D) $\pm 0,30$ (cm)

DESCRIPTION

Fine polyester knit dipped in latex.

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks

EN 388



PROTECTION LEVELS

MECHANICAL RISKS

abrasion resistance
cut resistance
tearing resistance
puncture resistance
cut resistance acc. to ISO

LVL	score	unit
2	500 – 2.000	cycles
1	1,2 – 2,5	index
2	25 – 50	N
1	20 – 60	N
X	not measured	N

SPECIAL FEATURES

- half-dipped
- size range retail ready:

- SPE = sizes 8 / M - 10 / XL
- RETAIL PACK = sizes 9 / L and 10 / XL

TECHNICAL DATA



ARDON®
WORKWEAR
& OUTDOOR

Basic packaging (without sales label)

A8021/07

A8021/08

A8021/09

A8021/10

A8021/11

Retail packaging (with sales label)

A8021/08/SPE

A8021/09-SPE

A8021/10/SPE

AR8021/09

AR8021/10

EAN

HEM COLOR

8592390033741

red

8592390153753

yellow

8592390033765

brown

8592390033772

black

8592390033789

green

8592390033758

yellow

8592390084200

brown

8592390065667

black

8592390012845

brown

8592390012852

black

TECHNICAL DATA