



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## **ARDON® BREMEN**

ROUGH HANDLING IN DRY ENVIRONMENT



TECHNICAL DATA



**ARDON®**  
**WORKWEAR**  
& **OUTDOOR**

# ARDON® BREMEN

ROUGH HANDLING IN DRY ENVIRONMENT

## CODE

A9082

## MATERIAL

Palm cowgrain leather (white)  
Back cotton (green)  
Cuff reinforced (green)  
Lining cotton  
Thickness ≤1,1 mm (in palm)

## SIZE(S)

9 / L, 10.5 / XL-2XL, 12 / 3XL

## UNIT

pair

## PACKING


Units in carton 72 pairs  
Units in polybag 12 pairs  
Retail packaging sales label

## DIMENSIONS

|                       | 5 | 6 | 7 | 8 | 9        | 10,5     | 11 | 12       |
|-----------------------|---|---|---|---|----------|----------|----|----------|
| Carton H x W x D (cm) | - | - | - | - | 28x28x48 | 28x28x48 | -  | 32x32x48 |
| Carton (cbm)          | - | - | - | - | 0,0376   | 0,0376   | -  | 0,0492   |

## WEIGHT

|             | 5 | 6 | 7 | 8 | 9     | 10,5  | 11 | 12    |
|-------------|---|---|---|---|-------|-------|----|-------|
| Carton (kg) | - | - | - | - | 13,38 | 14,23 | -  | 16,54 |
| Unit (g)    | - | - | - | - | 170,0 | 180,0 | -  | 220,0 |



## Size chart (cm)

|                  | 5 | 6 | 7 | 8 | 9    | 10,5 | 11 | 12   |
|------------------|---|---|---|---|------|------|----|------|
| Total length (A) | - | - | - | - | 26,5 | 28,0 | -  | 29,5 |
| Cuff length (B)  | - | - | - | - | 7,50 | 8,00 | -  | 8,00 |
| Cuff width (C)   | - | - | - | - | 14,0 | 14,5 | -  | 15,0 |
| Palm width (D)   | - | - | - | - | 12,5 | 13,0 | -  | 14,0 |

Tolerance (A) ± 0,50 (cm)  
Tolerance (B) ± 0,50 (cm)

Tolerance (C) ± 0,50 (cm)  
Tolerance (D) ± 0,50 (cm)

## DESCRIPTION

Cowgrain leather with cotton back and reinforced cuff.



**ARDON®**  
**WORKWEAR**  
& OUTDOOR

## STANDARDS

(EU) 2016/425

EN ISO 21420:2020 Protective gloves – general requirements and test methods

EN 388:2016 + A1:2018 Protective gloves against mechanical risks



### PROTECTION LEVELS

#### MECHANICAL RISKS

abrasion resistance  
cut resistance  
tearing resistance  
puncture resistance  
cut resistance acc. to ISO

#### LVL

2  
1  
2  
2  
X

#### score

500 – 2.000  
1,2 – 2,5  
25 – 50  
60 – 100  
not measured

#### unit

cycles  
index  
N  
N  
N

### SPECIAL FEATURES

- leather of high and stable quality, every order submits to quality control and skin safety tests before loading (among others pH level and hexavalent chromium content are measured)
- each pairs in each size is retail ready packed
- also available in winter version with lining (size 11 / 2XL)



**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

**Retail packaging (with sales label)**

A9082/09-SPE  
A9082/10,5-SPE  
A9082/12-SPE

**EAN**

8592390149268  
8592390036971  
8592390149275





**ARDON®**  
**WORKWEAR**  
**& OUTDOOR**

# TECHNICAL DATA

